

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/849,857	05/03/2001	Hideki Itaya	HCD11785	9838
7590 05/05/2006		EXAMINER		
Douglas A. Chaikin, Esq.			LUDLOW, JAN M	
PENINSULA IP GROUP 26150 Bucks Run		ART UNIT	PAPER NUMBER	
Corral de Tierra	a, CA 93908		1743	
			DATE MAILED: 05/05/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)
		09/849,857	ITAYA ET AL.
	Office Action Summary	Examiner	Art Unit
		Jan M. Ludlow	1743
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the o	correspondence address -
VV MIC - Exter after - If NC - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir- vill apply and will expire SIX (6) MONTHS from cause the application to become ARANDONE	N. nely filed the mailing date of this communication.
tatus		·	
1)[🖂	Responsive to communication(s) filed on 28 Ju	une 2005	`
		action is non-final.	
	Since this application is in condition for allowan		osecution as to the merits is
	closed in accordance with the practice under E		
ispositi	on of Claims	, , ,	
_	Claim(s) <u>1-21</u> is/are pending in the application.		
	4a) Of the above claim(s) <u>2 and 18-21</u> is/are wit		,
	Claim(s) is/are allowed.	and awit from consideration.	
	Claim(s) <u>1 and 3-18</u> is/are rejected.		
	Claim(s) is/are objected to.		
	Claim(s) are subject to restriction and/or	election requirement.	
	on Papers		
	•		•
	The specification is objected to by the Examiner		
	The drawing(s) filed on 18 January 2005 is/are:		
	Applicant may not request that any objection to the d		
11) 🗆 -	Replacement drawing sheet(s) including the correction is objected to by the Exa	on is required it the drawing(s) is obj aminer. Note the attached Office	ected to. See 37 CFR 1.121(d).
		animer. Note the attached Office	Action or form PTO-152.
	nder 35 U.S.C. § 119		
ع/ل ع/ل	Acknowledgment is made of a claim for foreign p ☐ All b)☐ Some * c)⊡ None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).
		hana haan seesti eed	
	— a summed cobine of the buolity decentions		
	I		d in this National Stage
* S	application from the International Bureau ee the attached detailed Office action for a list o		_
	so the attached detailed Office action for a list of	or the certified copies not received	a. `
achment	(e)		
_	e of References Cited (PTO-892)	A) []	(DTO 442)
Notice	of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary (Paper No(s)/Mail Da	
Inform	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date		atent Application (PTO-152)
	"	, 	

Application/Control Number: 09/849,857

Art Unit: 1743

1. The amendment after final rejection filed on June 28, 2005 has been entered.

Page 2

- 2. The indicated allowability of claims is withdrawn in view of the newly discovered reference(s). Rejections based on the newly cited reference(s) follow.
- 3. Claim 15 is objected to because of the following informalities: In line 1, "A instrument having overlapping carousel instrument" is informal. Appropriate correction is required.
- 4. Claims 1, 3-18 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Throughout the claims, it is not clear what is encompassed by the term "transfer mechanism for transferring"—does this refer to the valve at the tip of the pipette, the aspiration element or both or either? Note that claim 18 recites the aspiration structure as part of the transfer mechanism. The examiner notes that it is not clear that opening the valve at the tip is sufficient to provide transfer without the aspiration element.

Throughout the claims, it is unclear what is encompassed by the term "carousel" because in claims 13 and 15, the term "rotatable" is used in conjunction with carousel, whereas a carousel is by definition rotatable (see paragraph 9 of the Office Action mailed July 13, 2004)—does applicant intend to encompass stationary tables by the broad recitation of carousel? For purposes of examination, "carousel" has been interpreted as having its common meaning, i.e., "a rotatable circular device."

Throughout the claims, "diagnostic carousel" is unclear because it is not clear what structure differentiates a "diagnostic carousel" from any other carousel.

Application/Control Number: 09/849,857 Page 3

Art Unit: 1743

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 8. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation

Art Unit: 1743

under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

9. Claims 1, 3-5, 10-14 are rejected under 35 U.S.C. 102(e) as being anticipated by Ammann (US 20020098117A1).

Ammann teaches sample carousel 250 holding tubes 320. A second carousel (instant diagnostic carousel) 350 holding pipette tips is above and offset (having a different central axis) from carousel 250 (Figures 5-6, [0107-0108 and elsewhere]). In that the instant pipettes are tubes connectable to an aspiration device, the pipette tips of Ammann are seen to read on the instant pipettes because they too are tubes connectable to an aspiration device. A pipette (tip) is secured to a transfer mechanism 450 coupled to a syringe pump for transferring sample directly from tube 320 into the pipette (tip) when the tip is lowered into the tube, and the transfer mechanism is moveable in XYZ directions by stepper motors, constituting the instant rotary elevators (i.e., the device elevates, and at least some part of a stepper motor rotates) [0110-0112, 0116 and elsewhere].

- 10. Claims 6-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ammann as applied to claims above.
- 11. Ammann fails to teach the number of tubes.
- 12. It would have been obvious to one of ordinary skill in the art to provide any number of sample tubes in order to process a desired plurality of samples in a table of

Art Unit: 1743

desired compact size. It would have been further obvious to provide as many pipette (tips) as sample tubes in order to use a different tip for each sample to prevent cross-contamination [0116].

- 13. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ammann as applied to claims above and further in view of Cloonan (US005915583A).
- 14. Ammann fails to teach a tube with an open proximal end and a cup in the proximal end.
- 15. Cloonan teaches tubes 12A, 12B with cup 10 in the open end.
- 16. It would have been obvious to provide a tube with a cup in the open end in the invention of Ammann in order to provide a small sample in a larger tube for automated analysis as taught by Cloonan (Background).
- 17. Claims 15-18 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.
- 18. Claim 8 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.
- 19. The following is a statement of reasons for the indication of allowable subject matter: Ammann fails to teach or suggest unique identifying indicia on each of the sample tubes and pipettes (tips) and means for reading, matching and aligning the appropriate tube and pipette. Ammann fails to teach that the transfer mechanism operates at the zone of intersection as defined in that transfer takes place in a portion of the sample carousel that does not intersect the diagnostic carousel.

Art Unit: 1743

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jan M. Ludlow whose telephone number is (571) 272-1260. The examiner can normally be reached on Monday-Thursday, 11:30 am - 8:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jan M. Ludlow Primary Examiner Art Unit 1743

month

Jml May 2, 2006